

Date: Tuesday, 13/05/2008 9:30:16 AM
 User: Julie Lecocq

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services Drawing Name : WEARPLATE
 Job Number : 39233
 Estimate Number : 12731
 P.O. Number :
 This Issue : 13/05/2008 S.O. No. :
 Prsht Rev. : NC Part Number : D353535
 Drawing Number : D3535 REV B
 Project Number : N/A
 First Issue : / / Type : SMALL / MED FAB Drawing Revision : B
 Previous Run : 38760 Material :
 Due Date : 30/05/2008 Qty: 20 Um: Each
 Written By :
 Checked & Approved By : JLD 08.5.13
 Comment : Est Rev:A New Issue 07-02-15 JLM
 Est Rev:B As per Rev B 07-08-31 JLM Verified By:EC

Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 M304S20GA 304/316 .040 Sheet



Comment: Qty.: 0.8423 sf(s)/Unit Total : 16.8462 sf(s)

304/316 .040 Sheet

(M304S20GA)

Batch: 108118X2 IB 8-5-27

108118X2+6
107909X3+2

6.8

4.5

2.0 WATER JET FLOW WATER JET



Comment: FLOW WATER JET

1-Cut as per Dwg D3535

Dwg Rev: B

Prog Rev: B

2-Deburr if necessary

IB 8-5-27

IB 8-5-27

(13)

3.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

IB 8-5-27

4.0 QC8 SECOND CHECK



Comment: SECOND CHECK

508/05/27

(13)

5.0 BRAKE NC NC BRAKE



Comment: NC BRAKE

1-Deburr if necessary

2-Form on Brake as per Dwg D3535 using Jigs DT8261 and DT8326.

3-Identify as D3535-35.

508/05/27

(13)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Tuesday, 13/05/2008 9:30:16 AM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: WEARPLATE

Job Number: 39233

Part Number: D353535

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

08/05/27 (12)

7.0

POWDER COATING

POWDER COATING



m105642



(13x)

Comment: POWDER COATING

Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3

START TIME:

7:30

OVEN TEMPERATURE:

320

FINISH TIME:

8:00

mf

08/05/28

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

08-05-28

(13)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

FP-17

RD/BL

08/05/28

(13)

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

08/05/29

Job Completion



mf 08-05-28

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 39233
Description: Wearshoe		Part Number: D3535-35
Inspection Dwg: D3535	Rev: B	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
2.000	+/-0.010	2.002	X			
1.885	+/-0.010	1.887	X			
6.00	+/-0.030	6.00	X			
6.75	+/-0.030	6.75	X			
Ø0.188	+0.005/-0.001	.190	X			
23.250	+/-0.010	23.250	X			
19.750	+/-0.010	19.750	X			
17.750	+/-0.010	17.750	X			
14.250	+/-0.010	14.250	X			
9.500	+/-0.010	9.500	X			
4.750	+/-0.010	4.750	X			
0.300	+/-0.010	.302	X			
0.300	+/-0.010	.304	X			
0.038	+/-0.010	.034	X			

Measured by: AB	Audited by: S	Prototype Approval:	N/A
Date: 8-5-07	Date: 08/05/07	Date:	N/A


Rev	Date	Change	Revised by	Approved
A	07.05.10	New Issue	KJ/JLM	BE

DART


RELEASED

07.04.24


DESIGN	DRAWN BY			DART AEROSPACE USA, INC.	
CB	PH			PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.		REV. B	
TH	TH	D3535		SHEET 1 OF 7	
DATE	TITLE		SCALE		
07.04.17	WEARSHOE		1:10		
A	06.10.25	NEW ISSUE			
B	07.04.17	MOVE TAB OUTBOARD, ADD AMS SPEC			




D3535-11F FLAT PATTERN



D3535-11 BEND DETAIL



D3535-13F FLAT PATTERN



D3535-13 BEND DETAIL

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 39033

DART


RELEASED

07.04.24


DESIGN	C.B.	DRAWN BY	M.H.	DART AEROSPACE USA, INC.
CHECKED		APPROVED		PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
		TITLE	WEARSHOE	SHEET 2 OF 7
		SCALE	1:10	




D3535-15F FLAT PATTERN



D3535-15 BEND DETAIL



D3535-21F FLAT PATTERN



D3535-21 BEND DETAIL


NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 39233




RELEASED
07.04.24




D3535-23F FLAT PATTERN



D3535-23 BEND DETAIL



D3535-25F FLAT PATTERN



D3535-25 BEND DETAIL

NOTES


- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 39233

DESIGN	CB	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	07.04.17	TITLE	WEARSHOE	REV. B
				SHEET 3 OF 7
				SCALE 1:10



RELEASED
07.04.24



D3535-31F FLAT PATTERN




D3535-31 BEND DETAIL

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 39233

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



D3535-33F FLAT PATTERN



D3535-33 BEND DETAIL


DESIGN	C B	DRAWN BY	PH	DART AEROSPACE USA, INC.
CHECKED		APPROVED		PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
TITLE	WEARSHOE	SHEET	4 OF 7	SCALE
				1:10

DART

RELEASED

07.04.14

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	PH	PORT HADLOCK, WA	
CHECKED	APPROVED	DRAWING NO.	REV. B
<i>[Signature]</i>	<i>[Signature]</i>	D3535	SHEET 5 OF 7
DATE	TITLE	SCALE	
07.04.17	WEARSHOE	1:10	



D3535-35F FLAT PATTERN




D3535-35 BEND DETAIL

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 39233

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT C
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION



D3535-37F FLAT PATTERN





D3535-37 BEND DETAIL

DART

RELEASED



07.04.24

**D3535-39F FLAT PATTERN****D3535-39 BEND DETAIL**

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 39233

NOTES

- 1) MATERIAL: AISI 304/316 SS SHEET PER AMS 5513 OR AMS 5524, 20 GAUGE (0.038 THICK) (REF DART SPEC M304S20GA)
- 2) FINISH: POWDER COAT GREY SANDTEX (4.3.5.6) PER QSI 005 4.3
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES TO 0.010 MAX
- 7) IDENTIFY WITH DART P/N USING WHITE FINE POINT PAINT MARKER
- 8) SEE PAGE 7 FOR DETAILS AND SECTION

**D3535-41F FLAT PATTERN****D3535-41 BEND DETAIL**


DESIGN	CB	DRAWN BY	PH	DART AEROSPACE USA, INC.	
CHECKED		APPROVED		PORT HADLOCK, WA	
DATE	07.04.17	DRAWING NO.	D3535	REV. B	
		TITLE	WEARSHOE	SHEET 6 OF 7	
		SCALE	1:10		

DART


DESIGN	C.B.	DRAWN BY	R.H.	DART AEROSPACE USA, INC.
CHECKED	<i>[Signature]</i>	APPROVED	<i>[Signature]</i>	PORT HADLOCK, WA
DATE	07.04.17	DRAWING NO.	D3535	REV. B
		TITLE	WEARSHOE	SHEET 7 OF 7
				SCALE 1:1

RELEASED


07.04.24



DETAIL B



DETAIL A



SECTION C-C

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 39233